




How to manage authenticators

A user must have relevant access rights to be able to manage authenticators.

If you would like to manage authenticators, please open the **Authenticators** tab in the user profile. The tab shows the number of registered user authenticators and their parameters.




MC / Users / James Miller / Authenticators

James Miller - Authenticators						
General information	+ Register 🔒 Unlock ✅ Allow use 🚫 Deny					
Applications						
Authenticators						
Sign in history						
Licenses						
		AUTHENTICATOR TYPE	DEVICE	NOTE	REGISTERED DATE	ENROLLED BY
	<input type="checkbox"/>	 Multi-factor authentication	Windows Password + Futronic	BSP for Multi-factor authentication		Is acting
	<input type="checkbox"/>	 Passcode	Passcode		2020.09.15 15:56	James Miller
	<input type="checkbox"/>	 Windows Password	Windows Password	Windows Password		Is acting

How to disable an authenticator

1. Select a relevant authenticator.
2. Click **Deny**.

MC / Users / James Miller / Authenticators

James Miller - Authenticators						
<div>General information</div> <div>Applications</div> <div>Authenticators</div> <div>Sign in history</div> <div>Licenses</div>	<div> <div>+ Register</div> <div>🔓 Unlock</div> <div>🔒 Allow use</div> <div><u>🚫 Deny</u></div> </div>					
	Authenticator type	Device	Note	Registered date	Enrolled by	Status
	<input type="checkbox"/> 	Multi-factor authentication	Windows Password + Futronic	BSP for Multi-factor authentication		Is acting
	<input checked="" type="checkbox"/> 	Passcode	Passcode	2020.09.15 15:56	James Miller	Is acting
	<input type="checkbox"/> 	Windows Password	Windows Password	Windows Password		Is acting

3. Once an authenticator has been disabled, users will not be able to use this login method. The authenticator status will be changed to **Forbidden**.







 Passcode
 Passcode
2020.09.15 15:56
James Miller
 Forbidden

How to enable an authenticator

1. Select a relevant authenticator.
2. Click **Allow use**.


+ Register 🔒 Unlock 🔓 Allow use 🚫 Deny

	AUTHENTICATOR TYPE	DEVICE	NOTE	REGISTERED DATE	ENROLLED BY	STATUS
<input type="checkbox"/>	 Multi-factor authentication	Windows Password + Futronic	BSP for Multi-factor authentication			Is acting
<input checked="" type="checkbox"/>	 Passcode	Passcode		2020.09.15 15:56	James Miller	 Forbid
<input type="checkbox"/>	 Windows Password	Windows Password	Windows Password			Is acting


3. Once an authenticator has been enabled, users will have the option to use this login method. The authenticator status will be changed to **Is acting**.

<input type="checkbox"/>	 Passcode	Passcode		2020.09.15 15:56	James Miller	Is acting
--------------------------	--	----------	--	------------------	--------------	-----------


How to register an authenticator

 Email and SMS providers do not require registration and can be used if a user has indicated their email address or phone number, respectively. If relevant parameters have not been set, authenticators will not appear on the list of available user authenticators.

1. Click **Register** and select a relevant login method from the drop-down list.

 If a user has reached the limit in terms of permitted number of authenticators that can be registered for a given login method, such method will not appear on the list.

2. Please follow these steps to train an authenticator.

 The training algorithm for different authenticators may vary and different windows may appear.

 Save  Cancel

Passcode

Password*

.....

Confirm password*

.....

Comment

Passcode 2

3. After successful registration, the authenticator status will be changed to **Is acting**.

<input type="checkbox"/>	***	Passcode	Passcode	Passcode 2	2020.09.15 16:24	James Miller	Is acting
--------------------------	-----	----------	----------	------------	------------------	--------------	-----------

4. If a provider with registered authenticators has been deleted, the authenticator status will be changed to **Not installed**.

<input type="checkbox"/>	***	Passcode	Passcode	Passcode 2	2020.09.15 16:24	James Miller	 Not installed
--------------------------	-----	----------	----------	------------	------------------	--------------	---

How to delete an authenticator

1. Select an authenticator and click **Delete**.

MC / Users / James Miller / Authenticators

James Miller - Authenticators

General information

Applications

Authenticators

Sign in history

Licenses

+ Register

Delete

Unlock

Allow use

Deny

AUTHENTICATOR TYPE	DEVICE	NOTE
<div><div><input type="checkbox"/></div><div>MFA</div></div> <div>Multi-factor authentication</div>	Windows Password + Futronic	BSP for Multi-factor authenticati
<div><div><input type="checkbox"/></div><div>***</div></div> <div>Passcode</div>	Passcode	
<div><div><input checked="" type="checkbox"/></div><div>***</div></div> <div>Passcode</div>	Passcode	Passcode 2
<div><div><input type="checkbox"/></div><div>***</div></div> <div>Windows Password</div>	Windows Password	Windows Password

2. Confirm that you wish to delete this item.

Confirmation

Are you sure you want to delete selected items?

Cancel

Delete